FORM PTO-1390 (REV 11-2000)	US DEPARTMENT C	F COMMERCE PATENT AND TRADEMARK	36-1430				
TR	ANSMITTAL LETTE	R TO THE UNITED STATES	00'	U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)			
	DESIGNATED/ELEC	TED OFFICE (DO/EO/US)	09/	830461 Unknown			
	APPLICATION NO.	ING UNDER 35 U.S.C. 371 INTERNATIONAL FILING DATE		PRIORITY DATE CLAIMED			
	3B99/03871	19 November 1999		27 November 1998			
TITLE OF INVE	NTION	ANNOUNCED SESSION	i Decopio	TION			
		ANNOUNCED SESSION	DESCRIP				
APPLICANT(S)	FOR DO/EO/US	BELL et a	al				
Applicant herev	vith submits to the Unite	ed States Designated/Elected Offic	e (DO/EO/L	JS) the following items and other information:			
1. 🛭 This	is a FIRST submission	of items concerning a filing under	35 U.S.C. 3	71.			
		SEQUENT submission of items con					
3. 🛭 This	is an express request to (5), (6), (9) and (21)	to begin national examination proceindicated below.	edures (35 l	U.S.C. 371(f). The submission must include			
		by the expiration of 19 months from	n the priority	y date (Article 31).			
		eation as filed (35 U.S.C. 371(c)(2))					
a. 🖂		quired only if not communicated by		tional Bureau).			
		ted by the International Bureau.					
#3		application was filed in the United	States Rec	eiving Office (RO/US).			
		ation of the International Applicatio					
a . □	is attached hereto.						
		submitted under 35 U.S.C. 154(d)(4	l).				
7. 🖸 Ame	endments to the claims	of the International Application und	der PCT Art	icle 19 (35 U.S.C. 371(c)(3))			
	are attached hereto (required only if not communicated l	by the Inter	national Bureau).			
	have been communic	ated by the International Bureau.					
	have not been made;	however, the time limit for making	such amen	dments has NOT expired.			
	have not been made	and will not be made.					
8. 🛅 An	English language trans	lation of the amendments to the cla	ums under l	PCT Article 19 (35 U.S.C. 371(c)(3)).			
9. 🔯 An		ne inventor(s) (35 U.S.C. 371(c)(4))					
10. 🗆 AE	nglish language transla Article 36 (35 U.S.C.	ation of the annexes of the Internati 371(c)(5)).	onal Prelim	inary Examination Report under PCT			
Items 11	To 20 below concer	n document(s) or information inc	luded:				
		Statement under 37 C.F.R. 1.97 a					
12. 🛭 An	assignment document	for recording. A separate cover sh	eet in comp	oliance with 37 C.F.R. 3.28 and 3.31 is included.			
13. 🛛 AF	TRST preliminary amer	ndment.					
14. 🗆 AS	SECOND or SUBSEQU	ENT preliminary amendment.					
15. 🗌 As	ubstitute specification.						
i i	- ·	rney and/or address letter.					
				CT Rule 13ter.2 and 35 U.S.C. 1.821-1.825.			
1		ublished international applicatio					
19. 🗌 As	second copy of the Eng	lish language translation of the inte	rnational a	pplication under 35 U.S.C. 154(d)(4).			
20. 🔲 Otl	ner items or information	1.					

U.S. APPLICATION NO (If known, see 37 C F R 1.5) INTERNATIONAL APPLICATION NO AT				TTORNEY'S DOCKET NUMBER 36-1430					
Unknown 09/83046 PCT/GB99/03871 21. The following fees are submitted:					СА		PTO L	ISE ONLY	
BASIC NATIONAL F			-(5):			<u></u>		-	
Neither internation	al preliminar	v examinatio	n fee (37 C.F.R. 1.482)		1				
nor international s	earch fee (37	7 C.F.R. 1.44	5(a)(2)) paid to USPTO						
and International S	Search Repo	rt not prepare	ed by the EPO or JPO	\$10	00.00				
International prelir USPTO but Intern	ninary exami ational Searc	nation fee (3 ch Report pre	7 C.F.R. 1.482) not paid to pared by the EPO or JPO) \$8	60.00				
International prelin	ninary exami	ination fee (3	7 C.F.R. 1.482) not paid to	USPTO					
			5(a)(2)) paid to USPTO 7 C.F.R. 1.482) paid to US		10.00				
but all claims did r	not satisfy pre	ovisions of Po	CT Article 33(1)-(4)	\$6	90.00				
 International prelif and all claims sati 	ninary exami sfied provision	ination fee (3 ons of PCT A	7 C.F.R. 1.482) paid to US rticle 33(1)-(4)	\$ [.]	100.00				
ENTER APPROPRIATE BASIC FEE AMOUNT =						s	860.00		
Surcharge of \$130.00 for	furnishing th	ne oath or de	claration later than 🔲 20	□ 30					
months from the earliest	claimed prio	rity date (37 (C.F.R. 1.492(e)).			S	0.00		
CLAIMS	NUMBE		NUMBER EXTRA	RAT			0.00		
Total Claims	13	-20 =	0		\$18.00 \$80.00	S	0.00		
Independent Claims	2	-3 =	0	X \$270		S	0.00		
MULTIPLE DEPENDEN	LAINS(S	і (іі арріісаві	TOTAL OF AE			S	860.00		
☐ ☐Applicant claims sn	nall entity sta	tus. See 37	CFR 1.27. The fees indic			<u> </u>			
are reduced by 1/2.			O, 11 1.27. 11.0 1000 maio				0.00	i	
1.1	-1			SU	BTOTAL =	S	860.00		
Processing fee of \$130.0 months from the earliest	00, for furnish	ning the Engli	sh Translation later than [20 🗌 30			0.00		
months from the earliest	ciaimed prio	my date (37	U.F.M. 1.492(1)).	OTAL NATIO	JAL FEE =	s	860.00		
Feetfor recording the en	closed assign	ment (37 C	F.R. 1.21(h)). The assign			Ť			
accempanied by an appr	opriate cove	r sheet (37 C	.F.R. 3.28, 3.31). \$40.00	per property	+	S	40.00		
Fee for Petition to Reviv	e Unintentior	nally Abandor	ned Application (\$1240.00	 Small Entity 	= \$620.00)	S	0.00	L	
			TO	TAL FEES EN	CLOSED =	S	900.00	<u> </u>	
- America principal 21 September - 1						l ^A	mount to be:	_ f	
10 10 10 10 10 10 10 10 10 10 10 10 10 1						-	refunded	\$	
						Щ	Charged	J	
a. 🗆 🛛 A check in the b. 🔠 Please charge	my Deposit	Account No.	over the above fees is enc 14-1140 in the amount of		er the above	e fee	98.		
A duplicate co	py of this for inner is here	ni is enclosed hy authorized	a. I to charge any additional	fees which may	/ be required	đ. o	r credit anv		
overpayment	o Deposit A	count No. 14	1-1140. A duplicate copy	of this form is e	nclosed.				
d. The entire cor application.	itent of the fo	oreign applica	ation(s), referred to in this	application is/a	re hereby in	corp	oorated by refe	rence	e in this
NOTE: Where an appr	opriate time	limit under	37 C.F.R. 1.494 or 1.495	has not been	met, a petit	ion	to revive (37 (C.F.F	ł. 1.137(a)
or (b)) must be filed an	d granted to	restore the	application to pending	status.	1				
					ブ /		n.		
SEND ALL CORRESPO	NDENCE T	0:			My -	۔ د	1 tup	سر	
NIVON & VANDEDUVE	P.C			SIGNATUI	TE ()				
NIXON & VANDERHYE 1100 North Glebe Road					\mathcal{L}				
Arlington, Virginia 2220									
Telephone: (703) 816-4				Larry S.	Nixon				
				NAME					
				05.640			April 27 2	001	
				25,640 PEGISTR	ATION NI IME	FP	April 27, 2	501	

JG08 Rec'd PST/PTO 27 APR 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

BELL et al

Atty. Ref.:

36-1430

Serial No.

Unknown

Group:

National Phase of:

PCT/GB99/03871 International Filing Date: 19 November 1999

Filed:

April 27, 2001

Examiner:

For:

ANNOUNCED SESSION DESCRIPTION

April 27, 2001

Assistant Commissioner for Patents Washington, DC 20231

Sir:

PRELIMINARY AMENDMENT

Prior to calculation of the filing fee and in order to place the above identified application in better condition for examination, please amend the claims as follows:

IN THE CLAIMS

Please substitute the following amended claims for corresponding claims previously presented. A copy of the amended claims showing current revisions is attached.

- 3. (Amended) A method according to claim 1, further comprising the steps of: generating at least one options module having a third data structure comprising data relating to service level criteria required to participate in the media session; and, linking the or each options module to a respective base module.
- 5. (Amended) A method according to claim 3, in which the data contained in the options module relates to a security system to be used by the media session or a part thereof.

BELL et al Serial No. **Unknown**

- 6. (Amended) A method according to claim 3, in which the data contained in the options module relates to a charging system to be used by the media session or a part thereof.
- 7. (Amended) A method according to claim 1, wherein one or more media module(s) comprise data necessary for a user to receive a layered media stream of a respective media session; and said method further comprises the step of linking the or each media module to one or more respective options module(s) containing data relating to a layered mechanism of the respective layered media stream necessary for a party to participate in the layered media stream.
- 8. (Amended) A method according to claim 1, in which the data contained in a media module includes data necessary for a user to receive or transmit data or both receive and transmit for inclusion in the media session.
- 9. (Amended) A method according to claim 1, in which the media session is announced by transmitting all of the constituent modules of the session description.
- 10. (Amended) A method according to claim 1, in which the media session is announced by transmitting only some of the constituent modules of the session description, with the remaining modules of the session description being subsequently accessible by a user using one or more links provided in the modules transmitted.
- 12. (Amended) A method according to claim 1, in which modules of the session description contain links to modules which are generated subsequent to the announcement.

REMARKS

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

The above amendments are made to place the claims in a more traditional format.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:

Larry S. Nixon Reg. No. **25,640**

LSN:Imy

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

VERSION WITH MARKINGS TO SHOW CHANGES MADE

3. (Amended) A method according to claim 1 [or 2], further comprising the steps of:

generating at least one options module having a third data structure comprising data relating to service level criteria required to participate in the media session; and, linking the or each options module to a respective base module.

- 5. (Amended) A method according to claim 3 [or 4], in which the data contained in the options module relates to a security system to be used by the media session or a part thereof.
- 6. (Amended) A method according to [any of claims 3 to 5] <u>claim 3</u>, in which the data contained in the options module relates to a charging system to be used by the media session or a part thereof.
- 7. (Amended) A method according to [any preceding claim] <u>claim 1</u>, wherein one or more media module(s) comprise data necessary for a user to receive a layered media stream of a respective media session; and said method further comprises the step of linking the or each media module to one or more respective options module(s) containing data relating to a layered mechanism of the respective layered media stream necessary for a party to participate in the layered media stream.
- 8. (Amended) A method according to [any preceding claim] <u>claim 1</u>, in which the data contained in a media module includes data necessary for a user to receive or transmit data or both receive and transmit for inclusion in the media session.

BELL et al Serial No. **Unknown**

- 9. (Amended) A method according to [any preceding claim] <u>claim 1</u>, in which the media session is announced by transmitting all of the constituent modules of the session description.
- 10. (Amended) A method according to [any of claims 1 to 8] <u>claim 1</u>, in which the media session is announced by transmitting only some of the constituent modules of the session description, with the remaining modules of the session description being subsequently accessible by a user using one or more links provided in the modules transmitted.
- 12. (Amended) A method according to [any preceding claim] <u>claim 1</u>, in which modules of the session description contain links to modules which are generated subsequent to the announcement.

JC08 Rec'd FCT/PTO 2 7 APR 2001

ANNOUNCED SESSION DESCRIPTION

The present invention relates to the announcement of media stream connections for a media session over a communications network.

Multicast transmissions are becoming increasingly common on the Internet. In contrast to standard Internet Protocol (IP) point to point transmissions (unicast), IP multicast allows the simultaneous transmission of information to a group of recipients from a single source. Routing support for IP multicast transmissions is provided by the MBone (IP Multicast Backbone) which is a virtual network layered on top of the Internet.

IP multicast allows real-time communications over wide area IP networks and typical transmissions include video and audio conferencing, live multimedia training, university lectures and transmission of live television programmes.

A multicast transmission usually consists of a multimedia session made up of several individual media streams typically carrying video, audio, whiteboard or raw data. Some sessions are persistent, but the majority exist for a specific period of time, although need not be continuous. Multicast based transmissions on the MBone differ from unicast IP transmissions in that any user receiving the transmission can join the session (unless the transmission is encrypted) and to receive a transmission, a user need only know the appropriate transmission address and timing information.

Prior to a multicast transmission an appropriate announcement containing a session description is made, usually at an IP group multi-cast address. Standard session descriptions are generated using a Session Description Protocol (SDP), as defined in the Internet Engineering Task Force's draft RFC 2327. SDP is a simple ASCII text based protocol that is used to describe real time multimedia sessions and their related scheduling information. SDP messages are wrapped in a carrier protocol, known as a Session Announcement Protocol (SAP), which, in addition to containing the necessary

5

10

20

25

25

5

IP addressing and routing information for transmission across the Internet or MBone, allows the SDP message to be encrypted, signed or compressed. An announcement can then be sent at regular intervals to the announcement group address. As an alternative to SAP, a session may be announced by placing an SDP message on a World Wide Web site (WWW) or by sending it to individuals by email or as a unicast transmission inviting them to participate.

An SDP message conveys information about each media stream in the multicast multimedia session to allow the recipients to participate in the session. A typical SDP message will include the session name and purpose, the time(s) and date(s) the session will be active, the component media streams of the session and information required to participate in each media stream (IP multicast address, port, media format). The SDP message may also include details of the session's bandwidth requirements, an encryption key necessary to participate in a secure multicast transmission using public key encryption, contact information for the organiser of the multicast session, and a Unique Resource Indicator (URI) pointing to a WWW or an Intranet web site where further information on the session may be found, for example, background information relating to the conference.

The level of participation a user may make in a session or stream depends on its purpose. In a multicast television session, typically users would only be able to receive the session streams whilst in a multicast conference session the communication would be bi-directional with a central server (such as group address 120) receiving each participants transmissions and relaying them to the other participants. The level of participation expected of a user in a session or stream may be explicitly stated in the session description or it may be inherent from the session description, for example when a receive-only application is associated with a media stream type in the session description.

A common front end interface used by multicast end users is known as Session Directory Rendezvous (SDR). This interface takes the received announcements, decodes the SDP message and displays the names of those sessions that are still current in a list. The end user may then select one of the listed announcements to view further technical and user-oriented details of the announced session. From the displayed information, the end user can then select to join individual streams of the session or to join the entire session. Once the streams to be joined are selected, SDR starts the necessary multicast-enabled multimedia application on the end user's computer, such as Vic and Vat, and passes the relevant stream information (a transport port address) from the announcement onto the application allowing the application to establish the link to the associated IP multicast address and participate in the stream at transmission time. Having initiated the applications and passed the relevant transport port address SDR plays no further part in the session.

Recent increased usage and demand for (multi)media sessions has highlighted a number of limitations in SDP. SDP limits session descriptions to defining a session having a single set of timings that apply to all of the streams within it. A session in which a stream starts mid-way through the transmission cannot easily be described using SDP. The structure of a session description written in SDP must be a simple linear list of streams which may not reflect the intuitive structure of a complex session. SDP supports a limited and predefined set of applications which can receive the streams and a limited and predefined set of transport mechanisms (e.g. Simple layering, RTP and UDP). As guaranteed Quality of Service (QoS) is becoming more and more desirable to the consumer and the supplier, the need to define QoS policies for the entire session and individual streams in terms of required system resources, bandwidth requirements and supported applications also needs to be met. There may also be requirements on the prioritisation of streams and subsessions or more complicated rules about receiving

streams. A further requirement on the part of the supplier will be the need for charging facilities permitting the charging of an end user for a multicast transmission to which they subscribe according to the QoS and types of streams received etc. There is little scope to include information about QoS policies or charging within the conventional structure of an SDP session description, or any metadata about the session.

According to a first aspect of the present invention there is provided, a method of announcing a description of a media session, comprising the steps of:

generating a first base module having a first data structure comprising user oriented data relevant to the media session;

generating at least one media module having a second data structure comprising media oriented data necessary for a user to receive a respective media stream of the media session:

providing a link between the first base module and the at least one media module; and,

announcing the media session by making at least the first base module available to potential recipients of the media session,

wherein the link between the first base module and the at least one media module permits a user to access the at least one media module and subsequently receive the media stream.

The present invention provides a modular description system for a media session in which session descriptions are constructed in a hierarchical manner providing a plurality of levels of information concerning the constituent parts of the described session.

A problem faced with the current distribution of announcements from the single announcement group address is that there is a limit to the size of each announcement and the frequency with which each can be sent out. In the present invention, it is

20

25

20

25

5

possible to provide a modular description system in which a distributed announcement contains links available to the end user to other portions of the announcement which have not been transmitted.

Preferably, the method further comprises the steps of: generating a second base module, the second base module containing user orientated data relating to a subsession of the media session; linking the second base module to the first base module; and, linking said at least one media module to the second base module.

In preferred embodiments, the method further comprises the steps of: generating at least one options module having a third data structure comprising data relating to service level criteria required to participate in the media session; and, linking the or each options module to a respective base module.

The data contained in the options module may relate to a quality of service policy to be used by the media session or a part thereof. Alternatively, the data contained in the options module may relate to a security system to be used by the media session or a part thereof. The data contained in the options module may further relate to a charging system to be used by the media session or a part thereof.

In preferred embodiments, one or more media module(s) comprise data necessary for a user to receive a layered media stream of a respective media session; and said method further comprises the step of linking the or each media module to one or more respective options module(s) containing data relating to a layered mechanism of the respective layered media stream necessary for a party to participate in the layered media stream.

The media session may be announced by transmitting all of the constituent modules of the session description. Alternatively, the media session may be announced by transmitting only some of the constituent modules of the session description, with the

20

25

5

remaining modules of the session description being subsequently accessible by a user using one or more links provided in the modules transmitted. The remaining modules of the session description may be held on one or more servers and the one or more links to the remaining modules are in the form of URI pointers. Modules of the session description contain links to modules which are generated subsequent to the announcement.

According to a second aspect of the invention there is provided a computer readable storage medium containing data defining at least a part of a description of a media session, the session description comprising:-

a first base module having a first data structure comprising user oriented data relevant to the media session;

at least one media module having a second data structure comprising media oriented data necessary for a user to receive a respective media stream of the media session:

a link between the first base module and the at least one media module;

Another problem faced by providers of current (multi)media sessions and the developers of the associated (multi)media applications is the spread of skills required to implement an application that can initiate and manage a real-time data connection over a communications network and perform the (multi)media functions the end user would expect. For example, developers of multimedia applications require teams with skills in audio and video coding, network transport protocols, real time programming, user interface design and integration techniques. The session description of the present invention simplifies this process by allowing the necessary communication channels and media streams to be identified in the session description. This information is used by generic middleware in the form of a session control and communications manager to dynamically instantiate the respective streams and channels for the applications at run

20

25

time.

5

Furthermore, until now the only way a QoS policy could be implemented was to process a session description to determine which streams of a session could or should be run and then to initialise the applications so they connect to the respective streams. This required the communications manager not only to know about the session requirements and available system resources but also the capabilities of each application.

In a preferred example of the present invention the media modules of a session description are checked by the respective multimedia client application prior to QoS management, thereby reducing the workload of the communications manager, that is to say the respective client applications determine whether the media modules can be supported. Furthermore, applications need only request streams from the session control system associated with the client since the session control now handles centrally the creation and management of streams in real time. This aspect is also the subject of our co-pending UK patent application 9826157.1.

The present invention simplifies application development and service provision. A further problem is that applications should be able to adapt to available network and host resources. This is particularly important for multi-party applications operating in heterogeneous environments where each party may have different resources available to them. Furthermore the nature of the heterogeneity may vary over the lifetime of the session, for example as network congestion varies or as the terminal resources are shared with other applications or other users. The present invention is able to use a QoS policy incorporated within the session description to prioritise the allocation of resources and to determine whether participation in the session is viable.

A still further problem is that the application developer and service provider typically need to address security and charging requirements. The present invention

20

25

5

allows security and charging policies to be incorporated within the session description for use within the session control system to invoke appropriate charging and security procedures. Instead of having to develop security and charging functions the application developer and service provider need only specify appropriate policies.

In the present invention application development is simplified by using the session description to drive the dynamic management of communication channels and to adapt to available resources. It also reduces the problem of handling charging and security requirements to a matter of specifying charging and security policies within the session description.

An example of the present invention will now be described in detail with reference to the accompanying drawings, in which:

Figure 1 is a schematic diagram illustrating a multicast transmission across the MBone;

Figure 2 is a schematic diagram illustrating the distribution of an SDP announcement;

Figure 3 is a block diagram of a modular session description of a simple session generated in accordance with the present invention;

Figure 4 is a block diagram of a modular session description of a complex session generated in accordance with the present invention;

Figure 5 is a schematic diagram of a system for managing media stream connections;

Figure 6 is a flow chart illustrating the steps involved in managing a media session according to the system of Figure 5; and,

Figure 7 is a flow chart further illustrating a parsing step of Figure 6.

An example of an IP multicast transmission system is described with reference to Figure 1. Prior to a multicast transmission, an appropriate announcement containing

20

25

5

a session description is made, thereby allowing end users 110a-110e to elect to receive the transmission. Each end user electing to receive the transmission is linked to a group IP Multicast address 120 associated with the transmission. At the transmission time of the multicast session, the session streams are transmitted from a source 130, or a plurality of sources, to the group address. At the group address, the transmission is disseminated along the links 140 to those end users who have elected to receive it (in this example end users 110a-110c).

An example of an announcement and election system is described with reference to Figure 2. Most public multicast sessions are announced at a single group IP multicast address 200 dedicated to the transmission of announcements to multicast end users. End users 210a-210e electing to receive the announcements are linked to the announcement group address and, in the same way as an actual session transmission, each announcement arriving at the announcement group address is disseminated to the end users. A front end interface 220 on each end user's computer displays information obtained from the associated session description for each announcement. The minimum information a session description may contain is a time and date that the session will be active and the group IP multicast address(es) from which the end user may elect to receive one or more media streams and to which they could send their own streams for the session. Using the front end interface, an end user can select the announced session(s), or their component stream(s) they wish to participate in.

Figure 3 is a block diagram of a session description 300 for a simple multicast television session. The session description 300 comprises a base module 310 linked to a media module 320.

The base module 310 contains user oriented data relating to the session including the title and timing information. The base module 310 may also include a description or abstract, contact information about the organiser and a WWW or an intranet URI pointing to a web site containing further information. Ideally, the base module 310 should contain enough information for the user to decide if they are interested in participating in the session.

The media module 320 contains announcement data relating to a video stream of the session. The media module 320 contains the technical information (data) necessary for the user to receive the associated media stream. In particular, connection, timing and media format details are provided.

A first example of a session description 300 generated for transmission to end users is shown below:

```
type=(base)
15
                          id = (310)
                          info=(title="live multicast television session")
                          source=(name="A.Sender" email=asender@tx.com)
                          media=(video=(client=odbits0.16))
                          time=(length=50m repeat=continuous)
                           category=("Entertainment")
□ 20
                           options=(none)
                           modules=(m=320)
                           type=(media)
    25
                           id=(320 310)
                           media=(video=(client=odbits0.16))
                           connection=(229.1.1 2/7000)
                           time=(length=50m)
    30
```

5

Session description example 1

The base module 310 has a unique identifier (id field) used in the generation of
links between two modules during the processing of the session description. The
modules field of the base module 310 lists the type and unique identifier of the media

The length of the same of the latter of the same of the length of the le

5

module 320 linked to the base module 310. The second identifier in the id field of the media module 320 is the unique identifier belonging to the base module 310 linking the media module back to the base module 310. By extension, these two-way links permit a module tree to be traversed from a base module downwards or from a media module upwards. The use of this feature is described later with reference to session description example 4.

The connection field of the media module 320 contains the IP multicast address and port number from which the media stream can be received.

Figure 4 is a block diagram of a session description 400 for a complex multicast session of a multimedia conference with two tracks, or sub-sessions, and a panel discussion. Each track provides multiparty video and audio conferencing and a shared whiteboard for leaving notes and messages. The panel discussion is encrypted and the whole conference is subject to a subscription fee payable in advance by each participant.

The session description 400 contains a top level base module 410 linked to further base modules 420, 430, 440 and an options module 411. The top level base module 410 contains data relating to the overall session including its name, purpose and timing information. The options module 411 contains details of the payment mechanism for subscription fees.

Each further base module 420, 430, 440 relates to a subsession of the conference. Base module 420 relates to the first track of the conference. The base module 420 is linked to media modules 421-423, each containing connection, timing and media format data for respective video, audio and whiteboard streams.

The base module 420 is also linked to options module 424 which contains data relating to a QoS policy for the first track defining which media modules are optional and which are mandatory for a participant of the first track. The mandatory list contains

20

25

5

identifiers of those media modules which are needed for the session or subsession to operate correctly whilst the optional list contains identifiers of the media modules that are not necessary for the session or subsession to operate correctly if system resources are scarce.

The base module 430 relates to the second track of the conference. It is linked to media modules 431-433, each containing connection, timing and media format details for respective video, audio and whiteboard streams. The base module 430 is also linked to options module 434 which contains data relating to a QoS policy for the second track defining which media modules are optional and which are mandatory for a participant of the second track. Base module 440 relates to the panel discussion. It is linked to media modules 441 and 442, each containing connection, timing and media format details for respective video and audio streams of the panel discussion. The base module 440 is also linked to options module 443 which contains encryption details (ie. how and where to get the necessary cryptographic keys) necessary for a participant to decode the panel discussion media streams 441, 442 according to a known encryption mechanism such as DES or public key encryption.

The video media stream defined in media module 441 is layered. Layering of media streams allows users with different system resources to receive as much of the stream as their system resources allows. Every user must receive the bottom layer of the stream containing the minimum stream data. However, if a user has sufficient free system resources they can receive the next layer up containing enhancements to the previous layer. Successive layers can be received enhancing the received media stream until the maximum number of layers is received or all free system resources capacity is used. The media module 441 is linked to an options module 444 which contains data on the layering necessary for the end user to be able to receive the layered stream correctly.

The portion of the session description 400 generated for modules 410, 411, 420 and 440 for transmission to end users is shown below in session description example 2.

```
5
                         ( # overall conference session
                           type=(base)
                           id = (410)
                           info=(title="Multimedia98 Conference")
                           source=(owner="Joe Bloggs" email=joe@nowhere.com)
                           media=(video=(client=RealPlayerG2) whiteboard=(client=wb))
  10
                           time(start="09:00 GMT 25/12/98" stop="13:00 GMT 25/12/98")
                           options=(oc=411)
                           modules=(b=420 b=430 b=440 oc=411)
15
1
                         ( # conference track 1
                            type=(base)
10
                            id=(420 410)
                            info=(title="MM98 Systems and Applications Track")
120
17
                            source=(owner="Joe Bloggs" email=joe@nowhere.com)
                            media=(video=(client=RealPlayerG2) whiteboard=(client=wb))
                            time(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")
options=(osq=424)
                            modules=(m=421 m=422 m=423 osq=424)
□ 25
The days
                          ( # session QoS for track 1
                             type=(option-sQoS)
                             id=(424 420)
                             mandatory=(421 422)
   30
                             optional=(423)
                           ( # conference panel discussion
   35
                             type=(base)
                             id=(440 410)
                             info=(title="MM98 Panel Discussion")
                             source=(name="Joe Bloggs" email=joe@nowhere.com)
                              media=(video=(client=RealPlayerG2) whiteboard=(client=wb))
    40
                              time(start="11:00 GMT 25/12/98" stop="13:00 GMT 25/12/98")
                              options=(osec=443)
                              modules=(m=441 m=442 osec=443)
                            )
    45
                            ( # video for panel discussion
                              type=(media)
                              id=(441440)
                              info=(title="MM98 Panel Discussion Video")
                              source=(owner="Joe Bloggs" email=joe@nowhere.com)
     50
                              media=(video=(type=live client=RealPlayerG2))
                               connection=(226.0.0.106/1010 policy=444)
```

```
time=(start="11:00 GMT 25/12/98" stop="13:00 GMT 25/12/98")
                        )
                        ( # media QoS policy for panel discussion video
  5
                          type=(option-mQoS)
                          id=(444 440)
                          mechanism=(layer=(base=226.0.0.106/1010 number=3))
                        )
                        ( # encryption policy for panel discussion
 10
                           type=(option-sec)
                           id=(443 440)
                           participant=(member=w3c)
                           publickey=(location=http://www.w3.org/members only/)
                           info=(location=http://www.w3.org/)
 15
                         ( # charging policy for entire conference
                           type=(option-chg)
20
                           id=(411410)
                           mechanism=(type=AAA)
113
                           price=(fee=1000GBP)
info=(location=http://www.aaa.net/)
1
1
1
1
1
2
5
                                                  Session description example 2
i
```

30

35

Where there is surplus network bandwidth available, complete session descriptions can be announced to end users who may then elect to receive the announced session or parts thereof. However, the individual modules of the session description do not need to be announced together. If the network bandwidth available for announcements restricts the size of session descriptions, only the top level base module may be announced. In this situation, the link between modules may be, for example, a URI to a WWW or an intranet web site or server, an email address, an IP multicast address, an FTP address or details of a file or database stored on a local computer system from which an interested user can obtain the remaining modules.

The following session description example illustrates how the above session description for base module 420 would be changed if media module 421 was stored on a WWW server:

30

```
( # conference track 1

type=(base)

id=(420 410)

info=(title="MM98 Systems and Applications Track")

source=(owner="Joe Bloggs" email=joe@nowhere.com)

media=(video=(client=RealPlayerG2) whiteboard=(client=wb))

time(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")

options=(osq=424)

modules=(m=421 location=http://www.announce.org/cgi-bin/module.cgi?id=421

m=421 m=423 osq=424)
```

Session description example 3

Furthermore, top level modules of a session description may be announced well in advance of the actual transmission, at a time where the final details of content are unknown, in which case the remaining levels may be made available from preannounced links at a later time.

Figure 5 is a schematic diagram of a system for managing media stream connections at a terminal of an end user system according to the present invention.

The session control system 500 is linked to an announcement receiving interface 510 and one or more multicast-capable multimedia applications 520. The session control system 500 and the announcement receiving interface 510 are connected to a network interface 530 via which announcements may be received and multicast transmissions may be initiated and/or received.

Announcements received at the network interface 530 are routed to the receiving interface 510. The receiving interface 510 decodes each announcement to obtain the session description and displays the user oriented information from the one or more base modules in a list to the user. The user is able to select a session description from the list announcing a session they wish to receive. The selected description is passed to the session control system 500 which determines which of the user's multimedia applications 520 are required for participation in the described session, starts the applications and initiates and provides the necessary media streams

25

5

to the respective applications 520 via a communications manager 550.

The receiving interface 510 may be linked to other Internet communications applications 540 such as a WWW browser or an email client (not shown) which may be used to gather further information on the described session based on links provided in the session description. Also, where an incomplete set of base and/or media modules of a session description are received, the receiving interface 510 attempts to obtain the remaining modules using the Internet communications applications prior to passing it onto the session control system 500.

Figure 6 is a flow chart showing the steps taken by the session control system 500 upon receipt of a session description. The description is first parsed in step 600 to identify client applications for each media module. Once this is done a second parse is carried out where applications are launched in step 610, that is to say for each media module start the application specified in the client field if that application has not already been started. The portion of the session description relating to the respective media type, i.e. the media module, the base module directly above the media module, all other modules attached to that base module and any other options modules that apply, is passed to the corresponding application in step 620. Since the media modules are marked with appropriate client applications, each application will be able to select those media streams that it wants to participate in. The application replies to the session control system with a connection request specifying its requirements in the form of a list of identifiers of media modules from which streams are to be initiated in step 630. The connection request is assembled by the session control system in step 640 and the system then parses the session description to identify other applications to launch in step 645. If a further media type is found, steps 610 to 640 are repeated, otherwise the session control system uses the assembled connection requests to form a list of media modules. This list is passed, together with a session QoS policy, to the

5

communications manager, a system used in by the session control system, which determines according to the QoS policies and available system resources whether each connection request is viable.

The session QoS policy is constructed in two steps:- first, the multiple session QoS policies relevant for all the media modules to be initiated are combined into one session QoS policy: second, the resulting session QoS policy may be adapted to take account of (a) user default preferences (defined in a user profile), (b) a user's wish to determine the policy interactively, and (c) an application's default configuration (defined in the application profile(s)).

The communications manager responds to the session control system in step 650 with an indication of the viable media stream connection requests. If necessary, the session control system may contact a charging system to initiate accounting for the session prior to requesting the communications manager to create the viable media stream connections in step 660.

Once a session starts, each received data stream relating to the session is passed to the associated multimedia application in step 670 until the scheduled stream time ends in step 680 or the multimedia application requests to the session control system that the connection is terminated in step 690, at which point the session control system disconnects the connection in step 700.

Figure 7 is a flow chart showing the QoS management step 650 of Figure 6 in greater detail.

Having received the assembled list of connection requests, the communications manager matches each item of this list to a media profile in step 705. A media profile defines requirements which must be met for the requested media stream to operate on the end user's computer including the minimum network bandwidth needed for satisfactory reception of the stream.

20

25

5

A terminal profile is determined in step 710. The terminal profile defines the resources which are available at the end user's computer for use by the requested media streams. This includes available network bandwidth, free memory and disk space and available hardware such as monitor size, processor speed and free audio and video capture devices. The media profile of each connection request is compared against the available system resources defined by the terminal profile in step 720. If the terminal profile matches or exceeds the media profile, the connection request is declared viable in step 730 and the terminal profile is decremented accordingly for the remaining connection requests in step 740. Each connection request is processed until there are no remaining requests or until the media profile of a request exceeds the terminal profile. In this situation, the communications manager determines the optimum terminal profile the user's computer would have if all non-essential applications were not running in step 750 and whether the computer is capable of fulfilling the media profile in step 760. If the computer is capable of fulfilling the media profile, the communications manager attempts to free system resources from currently allocated streams or connection requests which have lower priority or by asking the user to terminate other non-essential applications running on the computer in step 770. Alternatively, this could be done by reducing the number of layers received from a layered stream transmission. If sufficient resources cannot be found an exception is reported to the user and the connection request is marked as unviable. If the media stream that cannot be received is defined as mandatory in a QoS policy for a media session or subsession, all the connection requests for that media session or subsession are cancelled in step 790. If, however, the media stream is optional, the communications manager continues processing further connection requests in step 720. Once all pending connection requests have been processed, the communications manager reports those that are viable to the session control system.

The processing of a session description will now be described with reference to Figure 4 and session description example 4 which is the session description generated for Track 1 (modules 410 and 420-424 of Figure 4).

```
5
                        ( # overall conference session
                           type=(base)
                           id=(410)
                           info=(title="Multimedia98 Conference")
                           source=(owner="Joe Bloggs" email=joe@nowhere.com)
                           media=(video=(client=RealPlayerG2) whiteboard=(client=wb))
 10
                           time(start="09:00 GMT 25/12/98" stop="13:00 GMT 25/12/98")
                           options=(oc=0010)
                           modules=(b=420 b=430 b=440 oc=411)
<u>1</u>15
                         ( # conference track 1
H
                           type=(base)
14,
[]
[]20
                           id=(420410)
                           info=(title="MM98 Systems and Applications Track")
                            source=(owner="Joe Bloggs" email=joe@nowhere.com)
                            media=(video=(client=RealPlayerG2) whiteboard=(client=wb))
Į.
                            time(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")
                            options=(osq=424)
                            modules=(m=421 m=422 m=423 osq=424)
                          ( # video for track 1
                            type=(media)
                            id=(421 420)
                            info=(title="MM98 Systems and Applications Track Video")
   30
                            source=(owner="Joe Bloggs" email=joe@nowhere.com)
                            media=(video=(type=live client=RealPlayerG2))
                            connection=(226.0.0.100/1000)
                            time=(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")
   35
                          ( # audio for track 1
                             type=(media)
                             id=(422 420)
                             info=(title="MM98 Systems and Applications Track Audio")
   40
                             source=(owner="Joe Bloggs" email=joe@nowhere.com)
                             media=(audio=(type=live format=g711))
                             connection=(226.0.0.101/1001)
                             time=(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")
    45
                           ( # whiteboard for track 1
                              type=(media)
                              id=(423 420)
                              info=(title="MM98 Systems and Applications Track Whiteboard")
    50
                              source=(owner="Joe Bloggs" email=joe@nowhere.com)
```

·.

```
5
```

```
media=(whiteboard=(client=wb))
connection=(226.0.0.102/1002)
time=(start="09:00 GMT 25/12/98" stop="11:00 GMT 25/12/98")
)

( # session QoS for track 1
type=(option-sQoS)
id=(424 420)
mandatory=(421 422)
optional=(423)
)
```

Session description example 4

The session control system, having received the above session description, processes the tree structure of the session description starting at base module 410. The first module encountered is base module 420. As this is not a media module but it does have sub-modules, the session control system continues down this branch to media module.

The media field of the media module 421 already defines the multimedia client application required as RealPlayerG2 (a multimedia application of Real Networks Inc) thus the session control system ignores it and continues to the next media module. The media field of the media module 422 does not have a multimedia client application defined, however a format for the audio data is specified. The session control system recognises that this particular audio format can be supported by RealPlayerG2 so it amends the media field to read client = RealPlayerG2. The next media module 423 has already defined a client application as wb so it ignores this module, and it also ignores the option module 424.

The session control system parses the tree structure again in order to launch client applications. The first media module 421 specifies that RealPlayerG2 should be launched, hence the session control system launches the application on the end user's system and keeps a record of this activity. The second media module 422 specifies an

15 5 The state of the state of

25

application that has already been launched and so the session control system ignores it and continues to the next media module. The media module 423 specifies that wb should be launched, so the session control system launches the application and keeps a record of this activity.

RealPlayerG2 is passed the media module 421, base module 420 and modules 422-424. The application processes the media modules given to determine which it can handle, and in this case it identifies 421 and 422. Having determined which streams it can handle, the application sends a connection request back to the session control system requesting connection to the media streams of modules 421 and 422. Similarly, wb is passed the media module 423, base module 420, modules 421-422, and the module 424. The application processes the given modules as described previously, and requests connection to the media stream of modules 423.

The above connection requests are assembled by the session control system into a list, this list is then passed to the communications manager along with the session QoS policy module 424. The communications manager determines whether each request is viable according to the steps of Figure 7.

Assuming there are sufficient resources for all the connection requests for mandatory media streams, the communications manager passes back a list of viable streams to the session control system which then processes the tree again to determine the connection data held in the connection field of each media module so it can request that the communications manager initiate a connection to the appropriate media stream for each of the viable connection requests according to the connection data. The session control system then manages the session and its media stream connections as is described with reference to steps 670 to 700 of Figure 6.

Due to the heterogeneity of the Internet and differing capabilities and operating environments of end user computer systems, the session control system described has

25

been implemented in Java (Java is a Trade Mark of Sun Microsystems Inc.). The announcement receiving interface, Session Directory, receives the announcements and passes those selected by the end user to the session control manager implemented as an application programming interface running as a background process on the end user's computer.

Whilst the present invention has been described with reference to the Internet and multicast transmissions, it will be apparent to the reader that the described modular session description and the session control system are applicable to the announcement and subsequent management of connections to media streams of a (multi)media session using other known transport mechanisms such as unicast.

Furthermore, although mechanisms for encryption, charging and other such services have not been explicitly described, it would be apparent to the reader that appropriate session descriptions and associated functions within the session control system for their processing could be readily implemented according to the mechanism required.

20

5

1. A method of announcing a description of a media session, comprising the steps of:

generating a first base module having a first data structure comprising user oriented data relevant to the media session;

generating at least one media module having a second data structure comprising media oriented data necessary for a user to receive a respective media stream of the media session;

providing a link between the first base module and the at least one media module; and,

announcing the media session by making at least the first base module available to potential recipients of the media session,

wherein the link between the first base module and the at least one media module permits a user to access the at least one media module and subsequently receive the media stream.

2. A method according to claim 1, further comprising the steps of:

generating a second base module, the second base module containing user orientated data relating to a sub-session of the media session;

linking the second base module to the first base module; and, linking said at least one media module to the second base module.

- 3. A method according to claim 1 or 2, further comprising the steps of:
- generating at least one options module having a third data structure comprising data relating to service level criteria required to participate in the media session; and,

linking the or each options module to a respective base module.

4. A method according to claim 3, in which the data contained in the options module relates to a quality of service policy to be used by the media session or a part thereof.

- 5. A method according to claim 3 or 4, in which the data contained in the options module relates to a security system to be used by the media session or a part thereof.
- 6. A method according to any of claims 3 to 5, in which the data contained in the options module relates to a charging system to be used by the media session or a part thereof.
- 7. A method according to any preceding claim, wherein one or more media module(s) comprise data necessary for a user to receive a layered media stream of a respective media session; and said method further comprises the step of linking the or each media module to one or more respective options module(s) containing data relating to a layered mechanism of the respective layered media stream necessary for a party to participate in the layered media stream.
- 8. A method according to any preceding claim, in which the data contained in a media module includes data necessary for a user to receive or transmit data or both receive and transmit for inclusion in the media session.
- 25 9. A method according to any preceding claim, in which the media session is announced by transmitting all of the constituent modules of the session description.

20

10

15

- 10. A method according to any of claims 1 to 8, in which the media session is announced by transmitting only some of the constituent modules of the session description, with the remaining modules of the session description being subsequently accessible by a user using one or more links provided in the modules transmitted.
- 11. A method according to claim 10, in which the remaining modules of the session description are held on one or more servers and the one or more links to the remaining modules are in the form of URI pointers.
- 12. A method according to any preceding claim, in which modules of the session description contain links to modules which are generated subsequent to the announcement.
- 13. A computer readable storage medium containing data defining at least a part of a description of a media session, the session description comprising:-
- a first base module having a first data structure comprising user oriented data relevant to the media session;
- at least one media module having a second data structure comprising media oriented data necessary for a user to receive a respective media stream of the media session;
- a link between the first base module and the at least one media module; wherein the link permits a user to access the at least one media module and subsequently receive the media stream.

ABSTRACT

ANNOUNCED SESSION DESCRIPTION


The contract of the second of


20

5

The invention provides a method of announcing a description of a media session, for example a multimedia conference, that is to take place over multicast capable links provided in networks configured for Internet Protocol operation, that is to say, the communications network known as the MBone (Internet Protocol Multicast Backbone). In one respect, the invention provides a modular method of announcing media sessions. This method comprises the steps of generating a first base module (410) having a first data structure comprising user oriented data relevant to the media session; generating at least one media module (421, 422, 423) having a second data structure comprising media oriented data necessary for a user to receive a respective media stream of the media session; providing a link between the first base module and the at least one media module; and, announcing the media session by making at least the first base module available to potential recipients of the media session, wherein the link between the first base module and the at least one media module permits a user to access the at least one media module and subsequently receive the media stream. The modular structure of the announcement allows the minimum data to be transmitted for a user to determine their interest in the session. The link or links enable recipients of the base module to obtain the further media data necessary to participate in the session. Thus the demand on network resources by the announcement is reduced.

Figure 4









Fig. 3







Fig. 5



The state of the s

To the time the state of the st

Nixon & Vanderhye P.C. (10/99) (Domestic Non-Assigned/Foreign)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

	ttel Willett is claimed and	A]	NNOUNCED SESSION 1	DESCRIPTION			
	cation of which (check a						
🗀 is at	tached hereto		as U.S. Applica	tion Sorial No	11	Atty Dkt. No.	1
_	filed on	al application No.	as 0.5. Applica GB99/03871	on			
🙀 was	filed as PCT Internation	al application No.			19 November	1999	
and (if app	licable to U.S. or PCT ag	oplication) was ame	ended on				
amendmer with 37 C.I listed below hich prior	nt referred to above. I ac F.R. 1.56. I hereby claim w and have also identifie	cknowledge the duty n foreign priority ber ed below any foreign	e contents of the above ident y to disclose information which nefits under 35 U.S.C 119/36 n application for patent or investors the filing date of this app	ch is material to the p 35 of any foreign app entor's certificate ha	patentability of this app dication(s) for patent or	ication in accordan inventor's certifica that of the applica	te tion on
Application	on Number		Country			Day/Month/Yea	
982615			Great B	ritain		27 Novembe	r 1998
Application	laim the benefit under 35	5 U.S.C. 120/365 of	any United States provisiona Date/Month/Year all prior United States and Pation is not disclosed in such ial information as defined in 3	CT international app	olications listed above of the manner provided b	y the first paragrapi	1 OT 35
annlication	z, racknowledge the dul ns and the national or P(CT international filin	g date of this application:				
application	no una mo nanoma o co						
Prior U.S	./PCT Application(s):					Status: p	
Applicati	on Serial No.		Day/Month/Year	Filed		pending, aba	naonea
PCT/GE	899/03871		19 November	1999			
	<u> </u>						
be true a imprison application with application with a limit attorneys in the Pa Yanderhy Bryan H. Lastova, Robert A Michelle names/n	and further that these star ment, or both, under Sec- on or any patent issued to Arlington, VA 22201-4. Thereof (of the same ad tent and Trademark Offic ye, 27076; James T. Hos Davidson, 30251; Stanle 33149; H. Warren Burna Molan, 29834; B. J. Sa N. Lester, 32331; Frank umbers no longer with the	tements were made tion 1001 of Title 18 hereon. And on bel 714, telephone nu dress) individually a ce connected therev semer, 30184; Rober ey C. Spooner, 273 am, Jr. 29366; Thon doff, 36663; James P. Presta, 19828; Je te firm and to act ar	ny own knowledge are true are with the knowledge that will of the United States Code a half of the owner(s) hereof, I mber (703) 816-4000 (to when the collectively owner's/owne with and with the resulting pat W. Faris, 31352; Richard G 93; Leonard C. Mitchard, 290 nas E. Byrne, 32205; Mary J. D. Berquist, 34776; Updeep loseph S. Presta, 35329 I also drely solely on instructions anderhye on behalf of the owner of the collection of the collec	ful false statements and that such willful false appoint NIXCom all communicates attorneys to prosentent: Arthur R. Crav. Besha, 22770; Mai 109; Duane M. Byers Wilson, 32955; J. S. Gill, 37334; Mich so authorize Nixon & directly communicate	and the like so made a alse statements may je N & VANDERHYE P. tions are to be directed ecute this application of the K. E. Nusbaum, 32348; s., 33363; Jeffry H. Nelscott Davidson, 33489; ael J. Shea, 34725; Dos Vanderhye to delete a	re punishable by fin opardize the validit c., 1100 North Gle d), and the followin nd to transact all business, 25640; Robe Michael J. Keenan on, 30481; John R. Alan M. Kagen, 361 nald L. Jackson, 41 ny attorney	e or y of the pe Rd., g usiness rt A. , 32106; 78; 090;
1.	Inventor's Signature: Inventor:	j 1) Dar	an Bell	Ri	Date	<u>ーナロス</u> BRITISH	190
	vo.itor.	SARAH (first)	MI / MI	(la	ist)	(citizenshi	p)
	Residence: (city)	COTTENHAM	(7/0//	(state/country)	GREAT BRITAIN	TA TA	
	Post Office Address:		AUTREY WAY, COTTE	<u>MHAM, CAMBRI</u>	<u>DGE, GREAT BRI</u>	TALN	
	(Zip Code)	CB4 8XW					
					Date:		
2.	Inventor's Signature	SAROM		I	NG	BRITISH	
		(first)	My 1.1	(la	ast)	(citizenshi	p)
	Residence: (city)	IPSWICH, S			GREAT BRITAIN		
	Post Office Address:	112 SPRING	ROAD, IPSWICH, S	<u>UFFOLK, GREA</u>	<u>r britain</u>		
	(Zip Code)	IP4 2RR					

FOR ADDITIONAL INVENTORS, check box $\ \ \square$ and attach sheet with same information and signature and date for each.

:	===
•	223
÷	
All lines	
435335	
.1691.	The state of the s
=	1
	Ti.
144651	3131
Ξ	
	neat
:	F
÷	ij
11731	-
1111111	-2

	g-\$)			
3.	Inventor's Signature:			_ Date:	
	Inventor: STEV	EN.	RUDKIN	BRITISH	
	(first)	O A MI	(last)	(citizenship)	
		EOLK (state/cou	untry) GREAT BRITAIN	<u>.</u>	
	Post Office Address: 52 CC	ORDER ROAD, IPSWICH, S	SUFFOLK, GREAT BRI	<u>TAIN</u>	
	(Zip code) IP4 2	XD			

Nixon & Vanderhye P.C. (10/99) (Domestic Non-Assigned/Foreign)

RULE 63 (37 C.F.R. 1.63) DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

			ANNOUNCE	D SESSION DE	POCKTAITO	N			
he spec	ification of which (check a	applicable box(s)):							
] is	attached hereto								
] wa	as filed on			I.S. Application Ser	ial No.		(Atty	Dkt. No.)
W	as filed as PCT Internation	nal application No.	GB99/03877	L	on	19 Nove	ember 19	999	
ind (if a	oplicable to U.S. or PCT a	pplication) was amen	ded on						
mendm vith 37 (isted be which pr Priority F	state that I have reviewed tent referred to above. I a C.F.R. 1.56. I hereby clair low and have also identifi- iority is claimed or, if no p Foreign Application(s):	cknowledge the duty m foreign priority bene ed below any foreign	to disclose information to disclose the disclose to disclose the filing date on the filing date on the filing date.	mation which is ma S.C. 119/365 of any atent or inventor's o e of this application	terial to the pa y foreign applic ertificate havir	tentability of ation(s) for	this applica patent or inv te before the	tion in accordan ventor's certificat at of the applicat	e ion on
	tion Number			Country Great Britai	i n			Day/Month/Year	
<u>9826.</u>	158.9			oreat brita.	L11 ·			27 Novembe	r 1990
hereby the subj	claim the benefit under 3 tion Number claim the benefit under 3 ect matter of each of the claim and the national or P	5 U.S.C. 120/365 of a claims of this applicativity to disclose materia	Date/M all prior United Stion is not disclos	tates and PCT intered in such prior apide defined in 37 C.F.F.	national applic	ations listed e manner pr	ovided by th	e first paragraph	of 35
Prior 🗷	S./PCT Application(s):							Status: pa	atented
	tion Serial No.		Day/M	ionth/Year Filed				pending, abar	
PCT/	GB99/03871		19 N	lovember 199	9				
be true imprisor applicat 8th Flore attorned in the P Vander Bryan H Lastova Robert Michelle names/	rdeclare that all statement and further that these statement, or both, under Section or any patent issued to be a fight of the same at a fight and Trademark Offinger, 27076; James T. Hos J. Davidson, 30251; Stanka, 33149; H. Warren Burna A. Molan, 29834; B. J. Sae N. Lester, 32331; Frank frumbers no longer with the ganization sending instru	ntements were made watten 1001 of Title 18 of hereon. And on beha 1714, telephone num ldress) individually an oce connected therewill smer, 30184; Robert wey C. Spooner, 27393 am, Jr. 29366; Thoma doff, 36663; James D. P. Presta, 19828; Jose of firm and to act and	with the knowled of the United Staulf of the owner(s) ther (703) 816-41 d collectively ow the and with the row. Faris, 31352; B. Leonard C. Millis E. Byrne, 3220. Berquist, 3477 seph S. Presta, 3 rely solely on in	ge that willful false tes Code and that so hereof, I hereby a cool to whom all coner's/owners' attornesulting patent: Ar Richard, 29009; Dua 205; Mary J. Wilson, 6; Updeep S. Gill, 35329 I also autho structions directly co	statements an such willful fals appoint NIXON communication heys to prosect thur R. Crawfc 22770; Mark Ine M. Byers, 3 32955; J. Sco 37334; Michae rize Nixon & V	d the like so se statement & VANDER ns are to be ute this applicate, 25327; L. E. Nusbaum 3363; Jeffry tt Davidson, J. Shea, 34 anderhye to	made are p s may jeopa HYE P.C., 1 e directed), ication and arry S. Nixo, 32348; Mic H. Nelson, 33489; Alar 725; Donald delete any a	unishable by fine ardize the validity 1100 North Glet and the following to transact all but in, 25640; Robert shael J. Keenan, 30481; John R. in M. Kagen, 361 d L. Jackson, 41 attorney	e or of the oe Rd., g siness t A. 32106; 78; 090;
	Inventor's Signature:					Date	e		
1.	inventor a digitature.					Ī		DDTTTCII	
1.	Inventor:	SARAH (first)		MI	BEL!			BRITISH (citizenship))
1.	Inventor: Residence: (city)	(first) COTTENHAM	mber myr		(last) te/country) (REAT BR	TAIN BRITAI	(citizenship)
1.	Inventor:	(first)	TTREY WAY,	(stat	(last) te/country) (REAT BR	ITAIN I BRITAI	(citizenship)
	Inventor: Residence: (city) Post Office Address: (Zip Code)	(first) COTTENHAM 9 BRENDA GAU		(stat	(last) te/country) (REAT BR E, GREAT	' BRITA	(citizenship	
1.	Inventor: Residence: (city) Post Office Address:	COTTENHAM 9 BRENDA GAU CB4 8XW	TTREY WAY,	(stat	(last) te/country) G CAMBRIDG	REAT BR	BRITAI	(citizenship	
	Inventor: Residence: (city) Post Office Address: (Zip Code)	COTTENHAM 9 BRENDA GAU CB4 8XW		(stat	(last) te/country) G CAMBRIDG	REAT BR E, GREAT	BRITAI	(citizenship	99
	Inventor: Residence: (city) Post Office Address:	COTTENHAM 9 BRENDA GAU CB4 8XW SAROM (first)	ing.	(stat	(last) te/country) G CAMBRIDG	REAT BR E, GREAT	BRITAL	(citizenship	99
	Inventor: Residence: (city) Post Office Address:	COTTENHAM 9 BRENDA GAU CB4 8XW SAROM (first)	FOLK	(stat	(last) te/country) G CAMBRIDG ING (last)	REAT BR E, GREAT Date	BRITAL	(citizenship	99

FOR ADDITIONAL INVENTORS, check box $\ \square$ and attach sheet with same information and signature and date for each.

THE EAST . The band Will East Steel Steel

(Zip code) IP4 2XD

Inventor's Signature:

Inventor:

STEVEN

(first)

Residence: (city)

Post Office Address:

SUFFOLK

(state/country)

(state/country)

(state/country)

GREAT BRITAIN

Date:

SO November (citizenship)

RRITISH
(citizenship)